

Тележки для чистых помещений PurMor ERGO-S

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hxy@nt-rt.ru || сайт: <https://hydroflex.nt-rt.ru/>

2.0 ERGO-S 200

Compact cleanroom cleaning tool | dosing unit | stainless steel



PurMop® 2.0 ERGO-S 200

Description

2.0 ERGO-S 200 is the most compact model of the series and is especially suitable for very small cleanrooms. It has two stainless steel buckets and allows the touchless pick-up and wetting of fresh mops. The unique ERGO wetting unit also enables reproducible, disinfectant-saving dosing in just one step and can be precisely adapted to the fluid requirements of the application using various mop plates. Thanks to the space-saving design, the 2.0 ERGO-S 200 can be easily stowed away and transported.

Application / Usage:

Recommended for safe and ergonomic cleaning of cleanrooms and sterile areas.

ISO	3	4	5	6	7	8
GMP			A/B		C	D

2.0 ERGO-S 200


Compact cleanroom cleaning tool | dosing unit | stainless steel

Item no. 2123028

Product information

- _ Durable full stainless steel construction, polished surfaces
- _ GMP compliant design, easy to take apart and clean
- _ Unique mop wetting device for safe results
- _ System includes mop discarding system, waste bag holder and handle holder
- _ Plaque for individual marking
- _ Grease-free, non-marking ESD castors
- _ Unit completely autoclavable
- _ 2 x 18-liter buckets (with mop carrier for new mops and mop wetting device for fluid)
- _ Without discarding mechanism

Application



Industry sectors



Technical data

- _ Dimensions disassembled, assembled (L/W/H): 52 x 61 x 39 cm | 52 x 61 x 40 cm
- _ Weight: 16 kg

2.0 ERGO-S 205-F

Foldable cleanroom cleaning system | dosing unit | stainless steel



PurMop® 2.0 ERGO-S 205-F

Description

The 2.0 ERGO-S 205-F is a unique, ultracompact and touchless cleanroom cleaning system with stainless steel buckets and foldable handle. In combination with user-friendly accessories and a selection of our PurMop® disposable or reusable mops this system combines ergonomic handling with a durable, cleanroom suitable design. The intelligent ERGO cleanroom cleaning trolleys set the highest standards of cleanroom cleaning. The innovative mop wetting device guarantees reproducible results and avoids excess fluid. The intelligent mop discarding mechanism enables a contact-free discarding of used mops.

Application / Usage:

Recommended for safe and ergonomic cleaning of cleanrooms up to ISO 5.

ISO	3	4	5	6	7	8
GMP			A/B		C	D

2.0 ERGO-S 205-F


Foldable cleanroom cleaning system | dosing unit | stainless steel

Item no. 2123030

Product information

- _ Polished stainless steel trolley
- _ Ergonomic design with foldable handle, for space-saving storage
- _ Unique mop wetting device for safe results
- _ System includes mop discarding system, handle holder and waste bag holder
- _ Plaque for individual marking
- _ Grease-free, non-marking ESD castors
- _ Unit completely autoclavable

Application



Industry sectors



Technical data

- _ Dimensions disassembled, assembled (L/W/H): 44 x 62 x 72 cm | 65 x 70 x 94 cm
- _ Weight: 20 kg

2.0 ERGO-S 230

ERGOnomic cleanroom cleaning system | dosing unit | stainless steel



PurMop® 2.0 ERGO-S 230

Description

The 2.0 ERGO-S is a unique, touchless cleanroom cleaning system of the second generation made of high quality stainless steel. In combination with user-friendly accessories and a selection of our PurMop® disposable or reusable mops this system combines ergonomic handling with a durable, cleanroom suitable design. The intelligent ERGO cleanroom cleaning trolleys set the highest standards of cleanroom cleaning. The innovative mop wetting device guarantees reproducible results and avoids excess fluid. The intelligent mop discarding mechanism enables a hands-free discarding of used mops.

Application / Usage:

Recommended for safe and ergonomic cleaning of cleanrooms and sterile areas.

ISO	3	4	5	6	7	8
GMP			A/B		C	D

2.0 ERGO-S 230


ERGOnomic cleanroom cleaning system | dosing unit | stainless steel

Item no. 2123022

Product information

- _ Durable full stainless steel construction, polished surfaces
- _ GMP compliant design, easy to take apart and clean
- _ Unique mop wetting device for safe results
- _ System includes mop discarding system, waste bag holder and handle holder
- _ Plaque for individual marking
- _ Grease-free, non-marking ESD castors
- _ Unit completely autoclavable
- _ 3 x 18-liter buckets
- _ 2 x 6-liter accessory buckets
- _ Discarding mechanism on the rear

Application



Industry sectors



Technical data

- _ Dimensions disassembled, assembled (L/W/H): 61 x 61 x 98 cm | 66 x 70 x 104 cm
- _ Weight: 28 kg

2.0 ERGO-S 300

ERGOnomic cleanroom cleaning system | dosing unit | stainless steel



PurMop® 2.0 ERGO-S 300

Description

The 2.0 ERGO-S is a unique, touchless cleanroom cleaning system of the second generation made of high quality stainless steel. In combination with user-friendly accessories and a selection of our PurMop® disposable or reusable mops this system combines ergonomic handling with a durable, cleanroom suitable design. The intelligent ERGO cleanroom cleaning trolleys set the highest standards of cleanroom cleaning. The innovative mop wetting device guarantees reproducible results and avoids excess fluid. The intelligent mop discarding mechanism enables a hands-free discarding of used mops.

Application / Usage:

Recommended for safe and ergonomic cleaning of cleanrooms and sterile areas.

ISO	3	4	5	6	7	8
GMP			A/B		C	D

2.0 ERGO-S 300


ERGOnomic cleanroom cleaning system | dosing unit | stainless steel

Item no. 2123023

Product information

- _ Durable full stainless steel construction, polished surfaces
- _ GMP compliant design, easy to take apart and clean
- _ Unique mop wetting device for safe results
- _ System includes mop discarding system, waste bag holder and handle holder
- _ Plaque for individual marking
- _ Grease-free, non-marking ESD castors
- _ Unit completely autoclavable
- _ 3 x 18-liter buckets
- _ Discarding mechanism on the rear

Application



Industry sectors



Technical data

- _ Dimensions disassembled, assembled (L/W/H): 79 x 61 x 98 cm | 79 x 70 x 98 cm
- _ Weight: 25 Kg

2.0 ERGO-S 320

ERGOnomic cleanroom cleaning system | dosing unit | stainless steel



PurMop® 2.0 ERGO-S 320

Description

The 2.0 ERGO-S is a unique, touchless cleanroom cleaning system of the second generation made of high quality stainless steel. In combination with user-friendly accessories and a selection of our PurMop® disposable or reusable mops this system combines ergonomic handling with a durable, cleanroom suitable design. The intelligent ERGO cleanroom cleaning trolleys set the highest standards of cleanroom cleaning. The innovative mop wetting device guarantees reproducible results and avoids excess fluid. The intelligent mop discarding mechanism enables a hands-free discarding of used mops.

Application / Usage:

Recommended for safe and ergonomic cleaning of cleanrooms and sterile areas.

ISO	3	4	5	6	7	8
GMP			A/B		C	D

2.0 ERGO-S 320


ERGOnomic cleanroom cleaning system | dosing unit | stainless steel

Item no. 2123025

Product information

- _ Durable full stainless steel construction, polished surfaces
- _ GMP compliant design, easy to take apart and clean
- _ Unique mop wetting device for safe results
- _ System includes mop discarding system, waste bag holder and handle holder
- _ Plaque for individual marking
- _ Grease-free, non-marking ESD castors
- _ Unit completely autoclavable
- _ 3 x 18-liter buckets
- _ 2 x 6-liter accessory buckets
- _ Discarding mechanism on the rear

Application



Industry sectors



Technical data

- _ Dimensions disassembled, assembled (L/W/H): 79 x 61 x 98 cm | 79 x 70 x 104 cm
- _ Weight: 27 kg

2.0 ERGO-S 210

ERGOnomic cleanroom cleaning system | dosing unit | stainless steel



PurMop® 2.0 ERGO-S 210

Description

The 2.0 ERGO-S is a unique, touchless cleanroom cleaning system of the second generation made of high quality stainless steel. In combination with user-friendly accessories and a selection of our PurMop® disposable or reusable mops this system combines ergonomic handling with a durable, cleanroom suitable design. The intelligent ERGO cleanroom cleaning trolleys set the highest standards of cleanroom cleaning. The innovative mop wetting device guarantees reproducible results and avoids excess fluid. The intelligent mop discarding mechanism enables a hands-free discarding of used mops.

Application / Usage:

Recommended for safe and ergonomic cleaning of cleanrooms and sterile areas.

ISO	3	4	5	6	7	8
GMP			A/B		C	D

2.0 ERGO-S 210


ERGOnomic cleanroom cleaning system | dosing unit | stainless steel

Item no. 2123021

Product information

- _ Durable full stainless steel construction, polished surfaces
- _ GMP compliant design, easy to take apart and clean
- _ Unique mop wetting device for safe results
- _ System includes mop discarding system, waste bag holder and handle holder
- _ Plaque for individual marking
- _ Grease-free, non-marking ESD castors
- _ Unit completely autoclavable
- _ 3 x 18-liter buckets
- _ Discarding mechanism on the rear

Application



Industry sectors



Technical data

- _ Dimensions disassembled, assembled (L/W/H): 61 x 61 x 98 cm | 66 x 70 x 98 cm
- _ Weight: 25 kg

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: hxy@nt-rt.ru || сайт: <https://hydroflex.nt-rt.ru/>