

Рамки из нержавеющей стали PurMor КЕК

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hxy@nt-rt.ru || сайт: <https://hydroflex.nt-rt.ru/>

PurMop® KEK40

Stainless Steel Mop Frame | foldable | 40 cm system



PurMop® KEK40

Description

PurMop® KEK40 is a newly developed folding stainless steel mop frame with a number of clever features. The special design without wireframe guarantees an easy cleanability (through avoidance of dead spaces), while the ultra flat design ensures a touchless pickup of mops. The mop frame can be opened with the foot or with the mop discarding mechanism on the trolley and can be fixed for ceiling cleaning with a special locking button. The PurMop® quick-change system allows a tool-free exchange of the handle, while the arrow on the mop frame indicates the correct wiping direction.

Application / Usage:

Recommended for cleaning and disinfection of floors, walls and ceilings in cleanrooms up to ISO 4.

ISO	3	4	5	6	7	8
GMP			A/B		C	D

PurMop® KEK40

Stainless Steel Mop Frame | foldable | 40 cm system


Item no. 2151008

Product information

- _ Polished stainless steel, durable design
- _ Quick-change clip system
- _ Optimal for cleaning of floors, walls and ceilings
- _ Autoclavable, suitable for sterile cleanrooms

Touchfree mop discarding in combination with PurMop® trolleys

Application



Compatible with



Technical data

Dimensions: 38,8 x 9,9 x 13,4 cm

Weight: 650 g

Packaging: 1 frame / bag, 5 bags / carton [5 frames]

PurMop® KEK40 Light

Stainless Steel Mop Frame | foldable | 40 cm system



PurMop® KEK40 Light

Description

PurMop® KEK40 Light is a newly developed folding stainless steel mop frame with a number of clever features. The special design without wireframe guarantees an easy cleanability, while the ultra flat design ensures a touchless pickup of mops. The mop frame can be opened with the foot or with the mop discarding mechanism on the trolley and can be fixed for ceiling cleaning with a special locking button. The new design of the KEK40 Light ensures reduced weight for ergonomic cleaning especially for walls and ceilings.

Application / Usage:

Recommended for cleaning and disinfection of floors, walls and ceilings in cleanrooms up to ISO 4.

ISO	3	4	5	6	7	8
GMP			A/B		C	D

PurMop® KEK40 Light

Stainless Steel Mop Frame | foldable | 40 cm system


Item no. 2151014

Product information

- _ Polished stainless steel, durable design
- _ Reduced weight for overhead cleaning
- _ Optimal for cleaning of floors, walls and ceilings
- _ Autoclavable, suitable for sterile cleanrooms

Touchfree mop discarding in combination with PurMop® trolleys

Application



Compatible with



Technical data


Dimensions: 38,8 x 9,9 x 13,4 cm

Weight: 520 g

Packaging: 1 frame / bag, 5 bags / carton [5 frames]

PurMop® KEK40-PK

Stainless Steel Mop Frame | foldable | 40 cm system



PurMop KEK40-PK Frame

Description

PurMop® KEK40-PK is a newly developed folding stainless steel mop frame with a number of clever features. The special design without wireframe guarantees an easy cleanability (through avoidance of dead spaces), while the ultra flat design ensures a touchless pickup of mops. The mop frame can be opened with the foot or with the mop discarding mechanism on the trolley and can be fixed for ceiling cleaning with a special locking button. The proven PurMop® quick-change system allows a tool-free exchange of the handle, while the arrow on the mop frame indicates the correct wiping direction. The plastic parts consist of PEEK material which is characterized by high heat resistance.

Application / Usage:

Recommended for cleaning and disinfection of floors, walls and ceilings in cleanrooms up to ISO 4.

ISO	3	4	5	6	7	8
GMP			A/B		C	D

PurMop® KEK40-PK

Stainless Steel Mop Frame | foldable | 40 cm system


Item no. 2151013

Product information

- _ Polished stainless steel, durable
- _ Suitable for floor, wall and ceiling cleaning
- _ High-performance plastic, high heat resistance
- _ Quick-change clip system

Touchfree mop discarding in combination with PurMop® trolleys

Application



Compatible with



Technical data

Dimensions: 38,8 x 9,9 x 13,4 cm

Weight: 650 g

Packaging: 1 frame / bag, 5 bags / carton [5 frames]

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: hxy@nt-rt.ru || сайт: <https://hydroflex.nt-rt.ru/>