

Тележки для чистых помещений PurMor TRIO-S

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hxy@nt-rt.ru || сайт: <https://hydroflex.nt-rt.ru/>

2.0 TRIO-S 210

Cleanroom cleaning trolley | wringer | 1-bucket-system | stainless steel



PurMop® 2.0 TRIO-S 210

Description

2.0 TRIO-S 210 is a compact stainless steel cleanroom cleaning trolley with wringer. The robust trolley has three 18 liters stainless steel buckets (one for fluid and two for storage of mops). The special design allows the discarding of used mops at the rear and therefore ensures a higher safety against cross-contamination. The PurMop® wringer has been developed for use in cleanrooms and is made of polished stainless steel. The innovative function of the wringer enables improved reproducibility by means of a defined wringing pressure and reduced user effort thanks to the force transmission mechanism. The standard PurMop® accessories include a mop handle holder on the side and a rear waste bag holder for PurMop® waste bags.

ISO	3	4	5	6	7	8
GMP			A/B		C	D

2.0 TRIO-S 210

Cleanroom cleaning trolley | wringer | 1-bucket-system | stainless steel

Item no. 2125109

Product information

Ergonomic cleaning trolley with wringer system, touchless mop discarding and on-board mop storage

- _ 1 stainless steel bucket 18 l with mop carrier (front | for new mops)
- _ 1 stainless steel bucket 18 l (center | for fluid)
- _ 1 stainless steel bucket 18 l (rear | for mop discarding)
- _ Stainless steel wringer
- _ Stainless steel discarding mechanism
- _ Handle holder (side) and waste bag holder (rear)
- _ Plaque for individual marking
- _ Stainless steel castors (grease-free), two with brake
- _ Fully autoclavable
- _ GMP compliant design, polished stainless steel surfaces

Application

		
FLOOR	WALL	CEILING

Industry sectors

					
PHARMACY	PHARMA	MEDICAL	LABORATORY	MECHANICS	ELECTRONICS

Technical data

- _ Dimensions assembled (LxWxH): 65 x 70 x 97 cm
- _ Weight: 28 kg

2.0 TRIO-S 230

Cleanroom cleaning trolley | wringer | 1-bucket-system | stainless steel



PurMop® 2.0 TRIO 230

Description

2.0 TRIO-S 230 is a compact stainless steel cleanroom cleaning trolley with wringer. The robust trolley has three 18 liters stainless steel buckets (one for fluid and two for storage of mops) and two stainless steal buckets each 5 l above for storage. The special design allows the discarding of used mops at the rear and therefore ensures a higher safety against cross-contamination. The PurMop® wringer has been developed for use in cleanrooms and is made of polished stainless steel. The innovative function of the wringer enables improved reproducibility by means of a defined wringing pressure and reduced user effort thanks to the force transmission mechanism. The standard PurMop® accessories include a mop handle holder on the side and a rear waste bag holder for PurMop® waste bags.

ISO	3	4	5	6	7	8
GMP			A/B		C	D

2.0 TRIO-S 230

Cleanroom cleaning trolley | wringer | 1-bucket-system | stainless steel

Item no. 2125110

Product information

Ergonomic cleaning trolley with wringer system, touchless mop discarding and on-board mop storage

- _ 1 stainless steel bucket 18 l with mop carrier (front | for new mops)
- _ 1 stainless steel bucket 18 l (center | for fluid)
- _ 1 stainless steel bucket 18 l (rear | for mop discarding)
- _ 2 stainless steel buckets each 5 l (top | for storage)
- _ Stainless steel wringer
- _ Stainless steel discarding mechanism
- _ Handle holder (side) and waste bag holder (rear)
- _ Plaque for individual marking
- _ Stainless steel castors (grease-free), two with brake
- _ Fully autoclavable
- _ GMP compliant design, polished stainless steel surfaces

Application

		
FLOOR	WALL	CEILING

Industry sectors

					
PHARMACY	PHARMA	MEDICAL	LABORATORY	MECHANICS	ELECTRONICS

Technical data

- _ Dimensions assembled (LxWxH): 65 x 70 x 103 cm
- _ Weight: 31 kg

2.0 TRIO-S 240

Cleanroom cleaning trolley | wringer | 2-bucket-system | stainless steel



PurMop® 2.0 TRIO-S 240

Description

2.0 TRIO-S 240 is a compact stainless steel cleanroom cleaning trolley with wringer. The robust trolley has three 18 liters stainless steel buckets and a mop holder with mop carrier on top for new mops. The special design allows the discarding of used mops at the rear and therefore ensures a higher safety against cross-contamination. The PurMop® wringer has been developed for use in cleanrooms and is made of polished stainless steel. The innovative function of the wringer enables improved reproducibility by means of a defined wringing pressure and reduced user effort thanks to the force transmission mechanism. The standard PurMop® accessories include a mop handle holder on the side and a rear waste bag holder for PurMop® waste bags.

ISO	3	4	5	6	7	8
GMP			A/B		C	D

2.0 TRIO-S 240

Cleanroom cleaning trolley | wringer | 2-bucket-system | stainless steel

Item no. 2125111

Product information

Ergonomic cleaning trolley with wringer system, touchless mop discarding and on-board mop storage

- _ 2 stainless steel buckets each 18 l (front | for fluid)
- _ 1 stainless steel bucket 18 l (rear | for mop discarding)
- _ Mop holder with mop carrier (top | for new mops)
- _ Stainless steel wringer
- _ Stainless steel discarding mechanism
- _ Handle holder (side) and waste bag holder (rear)
- _ Plaque for individual marking
- _ Stainless steel castors (grease-free), two with brake
- _ Fully autoclavable
- _ GMP compliant design
- _ Polished stainless steel surfaces

Application

		
FLOOR	WALL	CEILING

Industry sectors

					
PHARMACY	PHARMA	MEDICAL	LABORATORY	MECHANICS	ELECTRONICS

Technical data

- _ Dimensions assembled (LxWxH): 65 x 70 x 97 cm
- _ Weight: 29 kg

2.0 TRIO-S 340

Cleanroom cleaning trolley | wringer | 3-bucket-system | stainless steel



PurMop® 2.0 TRIO-S 340

Description

2.0 TRIO-S 340 is a compact stainless steel cleanroom cleaning trolley with wringer. The robust trolley has four 18 liters stainless steel buckets and a mop holder with mop carrier on the top for fresh mops. The special design allows the discarding of used mops at the rear and therefore ensures a higher safety against cross-contamination. The PurMop® wringer has been developed for use in cleanrooms and is made of polished stainless steel. The innovative function of the wringer enables improved reproducibility by means of a defined wringing pressure and reduced user effort thanks to the force transmission mechanism. The standard PurMop® accessories include a mop handle holder on the side and a rear waste bag holder for PurMop® waste bags.

ISO	3	4	5	6	7	8
GMP			A/B		C	D

2.0 TRIO-S 340

Cleanroom cleaning trolley | wringer | 3-bucket-system | stainless steel

Item no. 2125116

Product information

Ergonomic cleaning trolley with wringer system, touchless mop discarding and on-board mop storage

- _ 3 stainless steel buckets each 18 l (front | for fluid)
- _ 1 stainless steel bucket 18 l (rear | for mop discarding)
- _ Mop holder with mop carrier (top | for new mops)
- _ Stainless steel wringer
- _ Stainless steel discarding mechanism
- _ Handle holder (side) and waste bag holder (rear)
- _ Plaque for individual marking
- _ Stainless steel castors (grease-free), two with brake
- _ Fully autoclavable
- _ GMP compliant design, polished stainless steel surfaces

Application

		
FLOOR	WALL	CEILING

Industry sectors

					
PHARMACY	PHARMA	MEDICAL	LABORATORY	MECHANICS	ELECTRONICS

Technical data

- _ Dimensions (LxWxH): 83 x 70 x 97 cm
- _ Weight: 33 kg

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: hxy@nt-rt.ru || сайт: <https://hydroflex.nt-rt.ru/>